



# **304 HEAVY DUTY VACUUM PUMPS** PRODUCT CATALOG





### **Table Of Contents**



304 Vacuum Pump	3
304 Pump Stand Complete Packages	4
304 Horizontal Packages	5
304 Combination Moisture Trap/Muffler Packages	6
304 Engine Drive Packages	7
Components & Accessories	8

#### **CONDITION OF SALES**

To view NVE's Condition of Sales, scan the QR Code to the right of this text with your phone's camera or visit https://natvac.com/ordering-information/




## **304 Heavy Duty Vacuum Pumps**





#### **Features**

- Exclusive NVE automatic oil pump
- Rugged braided stainless steel oil delivery lines
- Ductile iron housing
- On truck serviceability
- Remote mount 5 quart see through oil tank for constant oil level monitoring
- Available in both clockwise and counter-clockwise
- Two year warranty against manufacturer defect
- · Designed, built, and supported in the USA

AIR COOLED 304 CHALLENGER SPECIFICATIONS			
Air Flow - Free Air	210 CFM	1	
*Full Intermittent Vacuum	27" HG		
Maximum Intermittent Pressure	20 PSI		
*Operating Range - RPM	1200	1300	1400
HP Required @ Full Vacuum	8.35	9.24	10.16
HP Required @ 10 PSI	10.08	11.14	12.24
Porting Size (Optional 1-1/2")	2"		
Shaft Size (1/4" Key)	11/4"		







110-304-D SHOWN (CW PUMP)

PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Challenger 304 CW (Pictured Above)	110-304-D	179 lbs
Challenger 304 CCW	110-304-S	179 lbs
Challenger 304 CCW W/HYD Adapter	117-304-HYD-S	182 lbs


<sup>\*</sup>The maximum allowable operating vacuum will vary depending on R.P.M., ambient temperature, altitude and time running. The basic principle to keep in mind is - faster R.P.M., higher air temperature and longer run time all equal more heat in pump. When installing an NVE 304 pump we recommend a normal R.P.M. of 1200-1400. Other speeds are ok as long as exhaust gas temperatures read on the supplied thermometer do not exceed 380 degrees F.


# **304 Pump Stand Complete Packages**




#### **Features**

- 304 counter clockwise vacuum pump
- Pre-filter
- Heavy duty 3/8" steel gusseted frame
- Durable powder coat finish
- Lightweight aluminum gearbox for cool operation
- Flushing flush kit included
- Reliable Rexnord E5 Coupler
- Remote mount 5 quart see through oil tank for constant oil level monitoring
- Two year warranty against manufacturer defect
- Designed, built, and supported in the USA







PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Challenger 304 Pump Stand Complete (Pictured Above)	117-304-001-S	297 lbs


# **304 Horizontal Packages**





#### **Features**


All features included in the pump stand complete plus:

- 304 counter clockwise vacuum pump and stand
- Gearbox or hydraulic adaptor options available
- Pre-filter
- Horizontal moisture trap
- Flushing flush kit included
- Vacuum relief valve and vacuum pressure gauge
- Two year warranty against manufacturer defect
- Designed, built, and supported in the USA









CUT 2 EACH OF 4 X 4 WOOD BLOCKS 20" LONG
 AND ATTACH TO STAND AS SHOWN FOR SHIPPING.
 DAAN VALVE TO BE LEFT OFF, AND SURDED LOOSE

PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Challenger 304 Right Hand Horizontal Package (Pictured Above)	117-304-002-D	392 lbs


# **304 Combination Moisture Trap/Muffler Packages**





#### **Features**


All features included in the pump stand complete plus:

- 304 counter clockwise vacuum pump and stand
- Combination moisture trap and muffler
- Vacuum and pressure relief valves with gauge
- Flushing flush Kit included
- Right or left mounting options
- Two year warranty against manufacturer defect
- Designed, built, and supported in the USA










PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Challenger 304 Right Hand Combination Moisture Trap/Muffler (Pictured Above)	117-304-007-D	404 lbs

# **304 Engine Drive Package**



#### **Features**

- 304 counter clockwise vacuum pump and stand
- Honda 13 HP Electric Start Motor
- Battery included
- Two year warranty against manufacturer defect
- Designed, built, and supported in the USA



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Challenger 304 Honda Engine Drive Package	117-EDR-304-1	400 lbs






PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Repair Kit 304	115-304-0	3 lbs
Repair Kit 304 (W/O Bearings)	115-304-0B	2 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Oil Catch Muffler	212-800-2FP-A	12.55 lbs
O" Al colo colo colo lata a tada a l'ula O" NIDT		

- 8" Aluminum tread plate exterior with 2" NPT.
- Compact Design
- Rated to 250 CFM
- 2" Port
- 1" Drain Valve



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Primary Shutoff 8" X 6" Carbon Base Cast 2" Hb	200-0806-2HB	25 lbs
Primary Shutoff 8" X 6" Alu Base Cast Alu Lid 2" HB	204-0806-2HB	17.25 lbs
Primary Shutoff 8" X 6" SS Base Cast Alu Lid 2" HB	208-0806-2HB	25.35 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Portal Carbon 12" X 6" GOL	200-1206-C	37 lbs
Portal 12" X 6", Alu Base SS Lid GOL	204-1206-A	21 lbs
Manway Carbon 17" X 6" GOL	202-1706-C	48 lbs
Manway Carbon 20" X 6" GOL	202-2006	72 lbs
Manway Alu 20" X 6" W/ Cast Al Lid GOL	206-2006-A	42 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Secondary Shutoffs Mt 4 Gal Alu 2" HB	216-400-2NPT-A	23 lbs
Secondary Shutoffs Mt 4 Gal 2" NPT	216-400-2NPT-C1	30 lbs
Secondary Shutoffs Mt 4 Gal SS Alu Lid 2" HB	216-400-2NPT-S	30 lbs

# **304 Components & Accessories**





PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Wingnut, Eyebolt Clevis & Cotter Pin (Qty 6)	284-KIT-C	1.45 lbs
Lubenut, Eyebolt, Clevis & Cotter Pin (Qty 6)	284-KIT-CLN	1.55 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Float Balls 4" SS	414-400-SS	0.5 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Gasket 12" Lid And Neck Buna	286-706-12L	0.65 lbs
Gasket 17" Lid Buna	286-706-17L	1 lbs
Gasket 19.5" Lid Buna	286-706-20L	1 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Ball Seat 3" Buna	416-300-B	0.55 lbs
Clamp Worm 3" Ball Seats	416-300-1WC	0.08 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Gear Boxes	422-200-1	14.3 lbs
- 200 Series 1:1		



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Coupler Hub E5 1" Bore 1/4" Key	424-050-100	3 lbs
Coupler Hub E5 1 1/4" Bore 1/4" Key	424-050-125	3 lbs
Coupler Flex Element E5	424-050-E5	2 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Spider Lovejoy 100 NBR	424-100-S	0.25 lbs
Coupler Flange Lovejoy 100 - 1.25" X 1/4" Key	424-100-125	3 lbs
Coupler Flange Lovejoy 100 - 0.625" X 5/32" Key	424-100-0625	3 lbs





PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Hydraulic Adapter	120-400-004	3 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Flange 2" Adjustable Elbow	280-355-116	0.25 lbs
O-Ring for Elbow	120-064-012	0.01 lbs
Elbow 2" 90 Degree Alum Hose Barb X Hose Barb	803-063-014	0.5 lbs
Elbow 2" 90 Degree Aluminum Hose Barb X Oring	803-063-013	0.5 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Vacuum Relief 11/2" NPT	366-150	1.1 lbs
Pressure Relief 1.50"	364-306-015	1.85 lbs
Pressure Relief 1.25"	364-306-1.25	1.45 lbs
Pressure Relief 2"	364-306-2	2.7 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Lever Valve 2"	362-301-2	3.9 lbs
Lever Valve 3"	362-301-3	8.7 lbs
Lever Valve 3" TTMA/NPT	362-301-3T	10 lbs
Lever Valve 4"	362-301-4	12 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Gauge 2.5" Vac/Pres Liq Bot Conn 1/4" NPT	408-250-LF	0.45 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Remote Oil Tank	320-082-001	1.6 lbs
Oil Tank Kit	320-081	2.30 lbs
Oil Tank Cap Black W/Tether	320-083-002	0.10 lbs

# **304 Components & Accessories**





PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Flushing Fluid Kit	320-081-002	1.9 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Oil Vacuum Pump R&O ISO 150/SAE 40 ND. Price Per Gallon. 6 Gallons Per Case.	150-220-VPOIL-150	7.35 lbs



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Intake Filter 304 - 3.75" ID x 4.43" Intake Filter 304 - 4.44" OD x 3.0" ID x 8.125"	120-314-004 120-314	.35 lbs .90 lbs
*Please Verify Size Before Buying		



PRODUCT DESCRIPTION	PART NUMBER	WEIGHT
Filter Box Assembly 304	120-318-001	5 lbs

# DESIGNED. BUILT. SUPPORTED.

Produced in the USA | Distributed World-Wide



Toll Free 800-253-5500 24-Hour Fax 800-998-6834 P.O. Box 685 | Traverse City, MI 49685